
ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE N--ETC F/G 4/2 19303 GSRS. MISSILE NUMBER 1013, ROUND NUMBER V-13 (1 DECEMBER --ETC(U) MAR 79 AD-A067 686 UNCLASSIFIED ECOM-DR-983 NL 1 OF / AD 67686 END DATE FILMED
6 -- 79



LEVE

APPROVER FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DR-983 March 1979

AD



METEOROLOGICAL DATA REPORT

19303 GSRS Missile No. 1013, Round No. V-13 (1 December 1978)

Ву

WSMR Meteorological Team

ATMOSPHERIC SCIENCES LABORATORY WHITE SANDS MISSILE RANGE, NEW MEXICO

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

79 04 19 046

DC FILE COPY AD A 0 6 7 68 6

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorised documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

UNCLASSIFIED

	REPORT DOCUMENTAT	REPORT DOCUMENTATION PAGE			
	EPORT NUMBER	2. GOYT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER		
-	DR-983				
	HTLE (and Sabrille)		5. TYPE OF REPORT & PERIOD COVERED		
	193Ø3 GSRS. Missile Number 1Ø13_	The state of the s	1		
i	Round Number V-13(> Dec.	1 4 9 10 1	6. PERFORMING ORG. REPORT NUMBER		
	The pec	em ber 1/18/			
	NUTHOR(e)		8. CONTRACT OR GRANT NUMBER(+)		
١	WSMR Meteorological Team		DA Task 1T665702D127-02		
			(16) (1		
. ,	PERFORMING ORGANIZATION NAME AND AD	DRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
	US ARMY ELECTRONICS COMMAND ATMOSPHERIC SCIENCES LABORATORY		March 1979		
			13. NUMBER OF PAGES		
	WHITE SANDS MISSILE RANGE, NE		18		
4.	MONITORING AGENCY NAME & ADDRESSIT	different from Controlling Office)	15. SECURITY CLASS. (of this report)		
	US ARMY ELECTRONICS COMMAND		UNCLASSIFIED.		
1	FT. MONMOUTH, NEW JERSEY		15a. DECLASSIFICATION/DOWNGRADING		
5.	DISTRIBUTION STATEMENT (of this Report)		L		
		dietmihutien umlimit			
•	Approved for public release; distribution unlimited.				
(13) 78 bi				
7.	DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)				
		Meteorological	data rept.		
.	SUPPLEMENTARY NOTES				
D.	KEY WORDS (Continue on reverse side if necessary and identify by block number)				
_	1. Ballistics 2. Meteorology 3. Wind				
_	ABSTRACT (Continue on reverse state If necess	nerv and identify by black numbers			
	Meteorological data gathe fissile Number 1013, Round Nu	red for the launchin	g of 19303 GSRS		
		400 84	4		

MARCH DATES PEROD THE THE	
ELEN IN SOURTAL STREET, AS ON HOLD	
	The second and the files seems book
MAZDING TRANSPORT TO THE STATE OF THE STATE	
	West Teatgetorian 1848
MAI PONCHA DENNIS MANBORS (F)	
and the second second second	
Veret-Greek (11.)	APPR CLEOTIONICS COMMAND
That is the court of the court of	
	ARMY ELECTROWLES INDRESED FRIENDLITH, WEN DIRECT
	proved for public release; distribution un
. 254 (10)	THE HOUSE THE CONTRACTOR OF THE PARTY OF THE
	The March Could be became to enter the bell The Bottle ATH ACTIVATION
	en aparate al (*)
to feet it	
	×

CONTENTS

		PAGE
INTRODUC	TION	1
DISCUSSI	ON	1
TABLES		
I.	Surface Observations taken at 1545 HRS MST	2
II.	Anemometer Measured Wind Speed and Direction, Pole No. 1, Round V-13 at 1545 HRS MST	3
III.	Anemometer Measured Wind Speed and Direction, Pole No. 2, Round V-13 at 1545 HRS MST	4
IV.	Anomometer Measured Wind Speed and Direction, Pole No. 3, Round V-13 at 1545 HRS MST	. 5
٧.	Pilot-Balloon Measured Wind Data at 1545 HRS MST	6
VI.	Pilot-Balloon Measured Wind Data at 1545 HRS MST	8
VII.	WSD Significant Level Data at 1545 HRS MST	10
VIII.	WSD Upper Air Data at 1545 HRS MST	11
IX.	WSD Mandatory Levels at 1545 HRS MST	13
X.	WSD MRN Mandatory Levels at 1545 HRS MST	14

ORANGOMICED JUSTIFICATION	Section
4 111111111111111111111111111111111111	
MOTIFICATION	
DISTRIBUTION/AVAILA	alLITY COO
	1
^	

INTRODUCTION

19303 GSRS, Missile Number 1013, Round Number V-13, were launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1545 HRS MST, 1 December 78. The scheduled launch time was 1545 HRS MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

- (1) Standard surface observations to include pressure, temperature (°C), relative humidity, dew point (°C), density (gm/m³), wind direction, wind velocity and cloud cover were made at the LC-33 Met Site at T-0 mins.
- (2) Anemometer data were provided from existing pole mounted and tower mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTS-T-9 pibals observation at T-0 mins as follows:

SITE & ALT.

LC-33 900 meters (15 meter incs) APA 900 meters (30 meter incs) SMR 900 meters (30 meter incs)

(2) Air structure data (rawinsonde) were collected at the SMR Met Site at T-0 mins. Data were collected from surface to 125% of apogee in 100 meter incs.

The data are presented in the following tabulations:

ELEVATION	3977.30	FEET/MSL
PRESSURE	873.5	MBS
TEMPERATURE	18.9	°c .
RELATIVE HUMIDITY	27	*
DEW POINT	-0.5	°c
DENSITY	1038	GM/M ³
WIND SPEED	08	MPH
WIND DIRECTION	140	DEGREES
CLOUD COVER	1	Cs

TABLE I. SURFACE OBSERVATIONS TAKEN AT WSD AT 1545 HRS MST/1 DECEMBER 1978 19303 GSRS, MISSILE NUMBER 1013, ROUND NUMBER V-13

T-TIME (SEC)	SPEED (MPH)	DIR DEG
-60.0		
-50.0		
-40.0		
-30.0	5.0 .	180
-20.0	6.0	190
-10.0	12.0	215
-00.0	15.0	205
+10.0	13.0	190
+20.0	12.0	200
+30.0	17.0	200

TABLE II. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, POLE NO. 1
RELEASED FROM LC-33 AT 1545 HRS MST/1 DECEMBER 1978
19303 GSRS/ROUND NUMBER V-13

WSTM COORDINATES: X = 485,874.29 Y = 185,958.90 Z = 4,018.74

T-TIME (SEC)	SPEED (MPH)	DIR DEG
-60.0		
-50.0		
-40.0		
-30.0	6.0	205
-20.0	9.0	200
-10.0	10.0	210
-00.0	15.0	210
+10.0	13.0	195
+20.0	13.0	210
+30.0	17.0	190

TABLE III. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, POLE NO. 2
RELEASED FROM LC-33 AT 1545 HRS MST/1 DECEMBER 1978
19303 GSRS/ROUND NUMBER V-13

WSTM DOORDINATES: X = 485,874.93 Y = 186,012.00 Z = 4,033.57

T-TIME (SEC)	SPEED (MPH)	DIR DEG
-60.0		
-50.0		
-40.0		
-30.0	7.0	195
-20.0	12.0	210
-10.0	12.0	180
-00.0	18.0	210
+10.0	14.0	205
+20.0	13.0	195
+30.0	17.0	190

TABLE IV. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, POLE NO. 3
RELFASED FROM LC-33 AT 1545 HRS MST/1 DECEMBER 1978
19303 GSRS/ROUND NUMBER V-13

WSTM COORDINATES: X = 485,877.29 Y = 186,116.06 Z = 4063.92

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	210	4.0
50	207	4.3
100	206	4.7
150	205	5.0
200	204	5.4
250	203	5.7
300	202	6.1
350	201	6.5
400	200	6.8
450	199	7.2
500	196	7.6
550	194	8.1
600	192	8.6
650	190	9.1
700	188	9.6
750	186	10.1
800	185	10.6
850	184	10.9
900	183	11.2
950	182	11.5
1000	181	11.8

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
1050	180	12.1
1100	180	12.4
1150	179	12.6
1200	180	12.5
1250	181	12.4
1300	181	12.3
1350	182	12.2
1400	183	12.1
1450	183	12
1500	185	11.9
1550	187	11.8
1600	190	11.8
1650	193	11.7
1700	196	11.7
1750	199	11.8
1800	202	11.8
1850	205	12.1
1900	211	12.9
1950	216	13.7
2000	220	14.7
2050	224	15.7

TABLE V. PILOT-BALLOON-MEASURED WIND DATA RELEASED FROM APA. AT 1545 HRS MST/1 DECEMBER 1978 19303 GSRS, MISSILE NUMBER 1013, ROUND NUMBER V-13

PIBAL RELEASE POINT WSTM COORDINATES:

X = UNKNOWN

Y = UNKNOWN

Z = UNKNOWN

APPROXIMATELY: 9 MILES NORTH OF LAUNCHER

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED .
(FEET)	(DEGREES)	(MPH)
2100	228	16.8
2150	230	18.0
2200	232	18.8
2250	233	19.4
2300	234	19.9
2350	235	20.5
2400	236	21.1
2450	237 .	21.6
2500	237	22.2
2550	238	21.6
2600	238	20.5
2650	238	19.3
2700	239	18.2
2750	239	17.0
2800	239	15.9
2850	240	14.7
2900	241	14.0
2950	242	13.4
3000	243	12.8

HEIGHT (FEET)	DIRECTION (DEGREES)	CH4M)

TABLE V. (CONT)

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED . (MPH)
SUR	140	8.0
50	148	7.0
100	155	7.0
150	162	6.0
200	170	5.5
250	182	6.0
300	194	6.0
350	206	6.0
400	218	6.5
450	212	9.0
500	206	13.5
550	200	17.0
600	194	20.5
650	194	21.5
700	194	22.5
750	194	23.0
800	194	24.0
850	195	24.0
900	196	24.5
950	197	24.5
1000	198	24.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
1050	196	24.5
1100	195	24.5 .
1150	193	24.5
1200	191	24.5
1250	191	25.0
1300	192	25.0
1350	192	25.0
1400	192	25.0
1450	193	24.5
1500	195	24.5
1550	196	24.0
. 1600	197.	23.5
1650	197	22.0
1700	198	20.0
1750	198	18.0
1800	198	16.5
1850	199	16.0
1900	201	15.0
1950	202	14.5
2000	204	13.5
2050	201	13.0

TABLE VI. PILOT-BALLOON-MEASURED WIND DATA RELEASED FROM LC-33 AT 1545 HRS MST/1 DECEMBER 1978 19303 GSRS, MISSILE NUMBER 1013, ROUND NUMBER V-13

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,037.24

Y = 182,350.16 Z = 3977.30

APPROXIMATELY: 1/2 MILE SOUTH OF LAUNCHER

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
0100	100	10.0
2100	198	12.0
2150	194	11.0
2200	191	10.0
2250	196	10.0
2300	202	10.5
2350	207	10.5
2400	213	10.5
2450	215	10.5
2500	217	10.5
2550	218	10.5
2600	220	10.5
2650	225	10.5
2700	230	10.5
2750	234	10.5
2800	239	10.5
2850	240	11.0
2900	242	12.0
2950	243	13.0
3000	244	13.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)

TABLE VI. (CONT)

SIGNIFICANT LEVEL DATA 3350020769	WHITE SANDS TABLE VII.
STATION ALTITUDE 3989.00 FEET MSL	1 DEC. 78 1545 HRS MST ASCENSION NO. 769

GEODETIC COORDINATES 32.40043 LAT DEG 106.37033 LON DEG

REL . HUM.	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PERATURE DEWPOINT ES CENTIGRADE	11 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TEMPE AIR DEGREES	18.3 10.2 10.2 11.2 11.2 11.3 11.3 11.3 11.3 11.3 11
GEOMETRIC ALTITUDE MSL FEET	3989.0 4651.1 7379.1 7379.1 8775.4 8530.1 8755.4 9979.4 3804.4 6725.0 8767.9 9402.1 9706.9
PRESSURE MILLIBARS	8500.0 7300.0 7300.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0 7380.0

UPPER AIR DATA 3350020769 WHITE SANDS TABLE VIII.

GEODETIC COORDINATES 32.40043 LAT DEG 106.37033 LON DEG

INDEX OF REFRACTION	1.000257	00024	000023		00017 00017 00016 00016 00016 00016
DATA I SPEED I) KNOTS	8.0	6.9	13.0 13.0 29.5	50111111111111111111111111111111111111	
WIND DA DIRECTION DEGREES(TN)	180.0			271.2 273.3 273.3 273.2 268.8 268.8 268.8 268.9 261.2	
SPEED OF SOUND KNOTS	665.9				
DENSITY S GM/CUBIC METER	1037.7	OND	00+nc	889.2 876.7 864.4 851.9 839.6 815.0 792.3 769.6	747.3 736.4 725.7 715.2 704.8 694.7
REL . HUM. PERCENT	27.0	SON	3 10 10 10 0	00000000000000000000000000000000000000	L L & O . O - U
TEMPERATURE R DEWPOINT EES CENTIGRADE	1.0	1.00			19.6 120.3 121.0 122.6 123.4
TEMP AIR DEGREES	18.3			100 40 100 100 100 100 100 100 100 100 1	-3.3 -7.6 -7.0 -11.0
PRESSURE MILLIBARS				725.6 712.4 699.5 680.5 661.3 661.3 649.0 637.0 625.1	579.3 564.2 557.4 546.7 536.2 525.7
GEOMETRIC ALTITUDE MSL FEET	3989.0	5000.0	6500.0 7000.0 7500.0 8090.0	THIS PAGE IS BEST QUALIT	150000 155000 160000 170000 170000 180000

STATION ALTITUDE 3989:00 FEET MSL 1 DEC. 78 1545 HRS MST ASCENSION NO. 769

UPPER AIR DATA 3350020769 WHITE SANDS

GEODETIC COORDINATES 32.40043 LAT DEG 106.37033 LON DEG

INDEX OF REFRACTION	1.000156	1.000153	1.000150	1.000145	1.000142	1.000140	1.000137	1.000135	1.000133	1.000130	1.000128	1.000126
EED OTS	53.8	48.3	46.1	45.2	45.3	45.8	46.4	47.1	47.9			
WIND DATA DIRECTION SPE DEGREES(TN) KNO	270.5	270.3	269.8	269.0	268.0	267.4	266.8	566.4	266.2			
SPEED OF SOUND KNOTS						625.5						
DENSITY GM/CUBIC METER	9.4.6	663.3	651.2	638.6	628.2	617.9	6.709	598.1	588.5	579.1	569.8	560.7
REL . HUM. PERCENT	40.7	42.8	43.6	26.0	22.7	19.3	18.0	18.0	18.0	18.0	18.0	18.0
TURE WPOINT TIGRADE	-23.0	-23.1	-23.3	-28.9	-31.2	-33.6	-35.1	-36.0	-36.9	-37.8	-38.7	-39.6
0	-12.4	-13.2	-13.6	-13.6	-14.5	-15.4	-16.4	-17.5	-18.6	-19.7	-20.7	-21.8
PRESSURE TEM AIR MILLIBARS DEGREES	505.4	465.4	485.6	476.0	466.5	457.3	448.1	439.0	430.1	421.5	412.9	9.404
GEOMETRIC ALTITUDE MSL FEET	18500.0	1900000	19500.0	200000	20500.0	21000.0	21500.0	22000.0	22500.0	23000.0	23500.0	24000.0

THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY PARKELSHED TO DDG

MANDATORY LEVELS 3350020769 WHITE SANDS TABLE IX.

GEODETIC COORDINATES 32.40043 LAT DEG 106.37033 LON DEG

M. WIND DATA T DIRECTION SPEED DEGREES(TN) KNOTS	7.0	31.9	47.1	52.8	50.9	#6.3
WIN DIRECT DEGREES	197.4	266.9	265.1	266.6	270.4	500.9
CEN	32.	34.	25.	29.	38.	18.
TEMPERATURE REL AIR DEWPOINT PER EGREES CENTIGRADE	-2.6	-7.6	114.6	-21.5	-24.1	-40.1
ä	17.2	7.2	3.8	-6.7	-12.8	-22.4
PRESSURE GEOPOTENTIAL	4648.	8093	11961.	16328.	18742.	24239.
PRESSURE G	850.0	750.0	650.0	550.0	2000-0	400.0

THIS PAGE IS BEST QUALITY PRACTICABLE FROM OURY PARELISHED TO DOG

GEODETIC COORDINATES 32.40043 LAT DEG 106.37033 LON DEG	PRESSURE MILLIBARS	4.000+2	4.500+2	5.000+2	5.500+2	2+000-9	6.500+2	7.000+2	7.500+2	8.000+2	8.500+2
GEODETIC 32.40 106.37	TEMPERATUKE AIR DEG C	-22.4	-16.2	-12.8	-6.7	-1.1	3.8	8.4	7.2	12.9	17.2
	DEW PT DEP DEG C	18	19	11	15	17	18	19	15	15	17
MANDATORY LEVELS 3350020769 WHITE SANDS TABLE X.	Æ FPS S	***6666-	24.	56.	27.		24.	16.	16.	. +	1.
MRN MANG	DATA N-S MPS	***6666-	:	· o	۶.	÷		7	:	2.	a.
r MSL	WIND DATA SPEED N-	***6666	24.	26.	27.	26.	24.	10.	1ó.	.+	
E 3989:00 FEET 1545 HRS M	DIRECTION DEG (TN)	***6666	267.	270.	. 567.	261.	265.	273.	. 267.	246.	197.
STATION ALTITUDE 3989:00 FEET MSL 1 DEC. 78 1545 HRS MST ASCENSION NO. 769	GEOPOTENTIAL ALTITUDE DECAMETERS	739.	651.	571.	498.	429.	365.	304.	247.	193.	142.

** WIND DATA NOT COMPUTED DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES. 14

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY PARMISHED TO DOG